EUROPEAN JOURNAL OF PHARMACOLOGY

Volume 113, No. 1 CONTENTS 11 July 1985

Regular papers

1 HETEY, L., KUDRIN, V.S., SHEMANOW, A.Y., RAYEVSKY, K.S., OELSSNER, W. Presynaptic dopamine and serotonin receptors modulating tyrosine hydroxylase activity in synaptosomes of the nucleus accumbens of rats

11 SAGI-EISENBERG, R., FOREMAN, J.C., SHELLY, R. Histamine release induced by histone and phorbol ester from rat peritoneal mast cells

19 MARESCAUX, C., MICHELETTI, G., VERGNES, M., RUMBACH, L., WARTER, J.M. Diazepam antagonizes GABAmimetics in rats with spontaneous petit mal-like epilepsy

25 NORDLANDER, M., DIBONA, G.F., LJUNG, B., YAO, T., THORÉN, P. Renal and cardiovascular effects of acute and chronic administration of felodipine to SHR

37 HIGUCHI, H., UCHIDA, S., MURATA, M., YOSHIDA, H. Discrepancy between α_1-adrenoceptor-mediated contraction and the occupation theory in rat vas deferens – possible existence of a 'silent' receptor

43 BUCCAFUSCO, J.J., SERRA, M. Role of cholinergic neurons in the cardiovascular responses evoked by central injection of bradykinin or angiotensin II in conscious rats

53 WORMS, P., WILLIGENS, M.T., CONTIN-SOUZA-BLANC, D., LLOYD, K.G. The effect of different types of cortical lesions on drug-induced catalepsy in rats: a pharmacological analysis

61 YEN, M.H., LEE, S.H., HO, S.T. Effects of 4-aminopyridine on cat blood pressure in relation to the sympathetic nervous system

69 BLIER, P., DE MONTIGNY, C. Short-term lithium administration enhances serotonergic neurotransmission: electrophysiological evidence in the rat CNS

79 ARNT, J. Behavioural stimulation is induced by separate dopamine D-1 and D-2 receptor sites in reserpine-pretreated but not in normal rats

89 MORITOKI, H., FUKUDA, H., KOTANI, M., UEYAMA, T., ISHIDA, Y., TAKEI, M. Possible mechanism of action of diazepam as an adenosine potentiator

99 IOVINO, M., STEARDO, L. Effect of substances influencing brain serotonergic transmission on plasma vasopressin levels in the rat

105 IZQUIERDO, I., MCGAUGH, J.L. Delayed onset of the amnestic effect of posttraining β-endorphin: effects of propranolol administered prior to retention testing

109 BREESE, G.R., MUELLER, R.A. SCH-23390 antagonism of a D-2 dopamine agonist depends upon catecholaminergic neurons

115 ZAGON, I.S., MCLAUGHLIN, P.J. Stereospecific modulation of tumorigenicity by opioid antagonists

121 PAZO, J.H., DE STEIN, M.L., TUMILASCI, O.R., MEDINA, J.H., DE ROBERTIS, E. Chronic haloperidol causes increase in salivary response and α_1-adrenoceptors in submandibular gland of the rat

Short communications

125 FUDER, H., KILBINGER, H., MÜLLER, H. Organ selectivity of hexahydrosiladifenidol in blocking pre- and postjunctional muscarinic receptors studied in guinea-pig ileum and rat heart

129 WHITFORD, C.A., CANDY, J.M., BLOXHAM, C.A., OAKLEY, A.E., SNELL, C.R. Human cerebellar cortex possesses high affinity binding sites for [^{3}H]somatostastin

Rapid communications

133 ANGEL, I., PAUL, S.M. Demonstration of specific binding sites for [^{3}H]mazindol in rat hypothalamus: correlation with the anorectic properties of phenylethylamines

135 SERSHEN, H., MASON, M.F., HASHIM, A., LAJTHA, A. Effect of N-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on age-related changes in dopamine turnover and transporter function in the mouse striatum

137 MANTYH, C.R., MANTYH, P.W. Differential localization of cholecystokinin-8 binding sites in the rat vs. the guinea pig brain

141 HULIHAN-GIBLIN, B., HAUGER, R.L., JANOWSKY, A., PAUL, S.M. Dopaminergic denervation increases [^{3}H](+)-amphetamine binding in the rat striatum

143 ZAFIROV, D.H., PALMER, J.M., WOOD, J.D. Adenosine inhibits forskolin-induced excitation in myenteric neurons

contents continued on p. 158

(Cited in: Biol. Abstracts – Chem. Abstracts – Curr. Contents/Life Sci. – Index Medicus – IABS – Pascal – Unlisted Drugs)

(continued from page 2 of cover)

more references to the same first author with the same publication year should have a, b, c etc. suffixed to the year to indicate the alphabetical order of the second or third author, as the case may be. Citations of the literature in the list of references should include the full title of the article referred to. Personal communications and unpublished data should not appear in the list of references.

Examples:

for periodicals:

Chang, R.S.L., V.T. Tran and S.H. Snyder, 1979, Heterogeneity of histamine H_1-receptors: species variations in ^{3}H-mepyramine binding of brain membranes, J. Neurochem. 32, 1653.

for books:

Noble, D., 1975, The Initiation of the Heart Beat (Clarendon Press, Oxford) p. 74.

Green, J.P., C.L. Johnson and H. Weinstein, 1978, Histamine as a neurotransmitter, in: Psychopharmacology—A Generation of Progress, eds. M.A. Lipton, A. DiMascio and K.F. Killam (Raven Press, New York) p. 319.

5. *Illustrations, graphs and tables (for new and explicit instructions see Notice to Authors, in Vol. 97, Nos. 1/2, p. 5).*

(a) Either the original drawings plus two good photographs or three good photographs of the drawings (on glossy paper and unmounted) should be submitted. MACHINE COPIES CANNOT BE USED INSTEAD OF ORIGINALS. The photographs should be of adequate definition and contrast. *The number of illustrations should be limited to the essential.*

(b) It is important to allow for reduction to fit a single column, 7.5 cm wide, or at most a double column, maximally 16 cm wide (see example of original and reduced figure in Notice to Authors, Vol. 78, No. 1, p. 5). When possible, all lettering and key symbols should appear in the legend. Only the following standard characters, for which the printer has type, should be used: ○ ⊕ □ △ ◇ ☆ open and solid. For letters and numerals the use of Letraset is recommended; alternatively India ink should be used. All letters and numerals appearing in a particular illustration should be of the same size. Comparable illustrations should carry letters, figures and numerals of the same size when reduced to 7.5 cm width. If the abscissa and the ordinate of a graph require labelling the label to the abscissa should be placed below the related numerals and the label to the ordinate should be placed horizontally and above the ordinate. If this requirement is not complied with, ALL LABELS WILL APPEAR IN THE LEGEND ONLY.

(c) Graphs, electrocardiograms and oscillograms should be prepared by a skilled photographer so that the dark, cross-hatched background is eliminated, the faint portions of the graphs intensified, and a sharp, constrasty print obtained. This process may be avoided by using blue-ruled instead of black-ruled recording paper for the original records. Kymograph records on sooted paper should be reversed photographically to ensure records in *black on a white* background.

(d) Drawings of complicated chemical structures should be prepared in the same way as graphs.

(e) A calibration bar should be drawn on the micrographs instead of giving a magnification rate in the figure legend.

(f) All illustrations should be referred to as figures and numbered in arabic numerals.

(g) The approximate position of each figure should be indicated in the margin of the manuscript.

(h) Legends to figures should make these comprehensible without reference to the text.

(i) Tables should be numbered separately in Arabic numerals (table 1, 2 etc.).

(j) The approximate position of each table should be indicated in the margin of the manuscript.

(k) Colour reproduction of illustrations is available at cost. Detailed information regarding the use of colour may be obtained from the publisher, at the time of submission of the manuscript to the editors.

PROOFS

One set of galley proofs will be sent to the author named on the title page (see 2). The proofs should be carefully checked for printer's errors only. Proofs should be returned WITHIN 48 H. If this period is exceeded no reminders will be sent, the manuscript will be read at the Publisher's *and* the Editorial Office and printed WITHOUT THE AUTHOR'S CORRECTIONS. Authors of Short and Rapid communications will NOT receive galley proofs.

PAGE CHARGES AND REPRINTS

There will be no page charge. Authors of a full length paper receive, together with the galley proofs, a reprint order form which must be completed and returned to the publisher with the proofs. Authors of SHORT and RAPID communications receive no proofs, but only a reprint order form: this order form should be mailed to the publisher by return post. Reprints ordered AFTER THE JOURNAL IS PRINTED will cost considerably more than those ordered immediately.

SUBSCRIPTIONS

1985, Volumes 106–117 (12 volumes in 36 issues).
Dfl. 2424 (US $ 900) + Dfl. 264 (US $ 100) postage, packaging and handling. Total price Dfl. 2688 (US $ 1000).
The Dutch guilder price is definitive. The US dollar price is subject to exchange rate fluctuations and is only given as a guide.
Journals are automatically sent by air to the USA, Canada and India at no extra charge, and by surface delivery to all other countries. Airmail rates for other countries are available on request.
Subscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers, Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel. (020) 5803 911. Telex 18582, or to your usual subscription agent.
Claims for missing issues should be made within three months of publication, otherwise they cannot be honoured free of charge.
In the United States and Canada: For further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishers, Journal Information Center, 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 867 9040.

© 1985 Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith. Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying. Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Printed in The Netherlands *Library of Congress Catalog Card Number 68-26539* Published semi-monthly

Contents continued

145 LEW, J.Y., MELLER, E., GOLDSTEIN, M. Photoaffinity labeling and purification of solubilized D_2 dopamine receptors

147 GOEDERS, N.E., DALE HORST, W., O'BRIEN, R., BAUTZ, G., KUHAR, M.J. Benzodiazepine receptor binding with a new ligand, Ro 22-8515

149 SCHMIDT, C.J., BRUCKWICK, E., LOVENBERG, W. Lack of evidence supporting a role for dopamine in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity

151 GARLAND, C.J., ODEGAARD, B.B., BEVAN, J.A. Prazosin but not rauwolscine reduces a component of the constrictor action of thrombin in the rabbit femoral artery

153 NORTHAM, W.J., MOBLEY, P. Clonidine pretreatment enhances the sensitivity of the β-noradrenergic receptor coupled adenylate cyclase system in astrocytes

155 UNIS, A.S., DAWSON, T.M., GEHLERT, D.R., WAMSLEY, J.K. Autoradiographic localization of [^{3}H]methylphenidate binding sites in rat brain

EUROPEAN JOURNAL OF PHARMACOLOGY

Volume 113, No. 2 CONTENTS 17 July 1985

Regular papers

159 MACKENZIE, R.G., ZIGMOND, M.J. Chronic neuroleptic treatment increases D-2 but not D-1 receptors in rat striatum

167 KATANO, Y., KENNEDY, R.H., STEMMER, P.M., TEMMA, K., AKERA, T. Aging and digitalis sensitivity of cardiac muscle in rats

179 CRAIN, B.J., VALDES, F., CHANG, K.J., MCNAMARA, J.O. Autoradiographic localization of benzomorphan binding sites in rat brain

187 NIEVELSTEIN, H.M.N.W., VAN ESSEN, H., TIJSSEN, C.M., SMITS, J.F.M., STRUYKER BOUDIER, H.A.J. Systemic and regional hemodynamic actions of calcium entry blockers in conscious spontaneously hypertensive rats

199 FU, W.M., LIN-SHIAU, S.Y. Mechanism of rhythmic contractions induced by uranyl ion in the ileal longitudinal muscle of guinea-pig

205 IKONOMIDOU, C., TURSKI, L., KLOCKGETHER, T., SCHWARZ, M., SONTAG, K.H. Effects of methyl β-carboline-3-carboxylate, Ro 15-1788, CGS 8216 on muscle tone in genetically spastic rats

215 XIANG, J., LINZ, W., BECKER, H., GANTEN, D., LANG, R.E., SCHOLKENS, B., UNGER, T. Effects of converting enzyme inhibitors: ramipril and enalapril on peptide action and sympathetic neurotransmission in the isolated heart

225 RECHES, A., LIU, K.P., KARPIAK, S.E., FAHN, S., COOPER, T.B., SUCKOW, R., JACKSON, V., TAMIR, H. Serotonin depletion induced by reserpine is attenuated by prophylactic administration of lithium

233 JAMES, V., GARDNER, C.R. Actions and interactions of benzodiazepine agonists, antagonists and inverse agonists on suprahyoid muscle twitching

239 WARNOCK, P., HYLAND, L., DOCHERTY, J.R. Further examination of the inhibitory actions of α_1-adrenoceptor agonists in rat vas deferens

247 COOK, N., NAHORSKI, S.R., BARNETT, D.B. [^{125}I]-(−)Pindolol binding to the human platelet β-adrenoceptor: characterisation and agonist interactions

255 TOMLINSON, G., ALBUQUERQUE, C.A., WOODS, R.A. The effects of amidantel (BAY d 8815) and its deacylated derivative (BAY d 9216) on *Caenorhabditis elegans*

263 BARAN, H., SPERK, G., HÖRTNAGL, H., SAPETSCHNIG, G., HORNYKIEWICZ, O. α_2-Adrenoceptors modulate kainic acid-induced limbic seizures

271 PONCELET, M., CHERMAT, R., SIMON, P. Psychopharmacological effects of nomifensine enantiomers

Short communications

275 MATTUCCI-SCHIAVONE, L., FERKO, A.P. Acute effects of taurine and a taurine antagonist on ethanol-induced central nervous system depression

279 MOGILNICKA, E., WEDZONY, K., KLIMEK, V., NOWAK, G. The importance of timing for the action of α_1- or β-agonists: possible relationship with the density of [^{3}H]prazosin and [^{3}H]dihydroalprenolol binding sites

283 YOUDIM, M.B.H. Oxidation by rat brain of N-methyl-4-phenyl-1,2,5,6-tetrahydropyridine (MPTP) coupled to tetrazolium nitro blue

287 WILKINSON, D.L., SCROOP, G.C. Role of prostaglandins and the areas postrema in the central pressor action of bradykinin

291 MAGGI, C.A., GIULIANI, S., SANTICIOLI, P., REGOLI, D., MELI, A. Comparison of the effects of substance P and substance K on blood pressure, salivation and urinary bladder motility in urethane-anaesthetized rats

(Cited in: Biological Abstracts – Chemical Abstracts – Current Contents/Life Sciences – Index Medicus – IABS – Unlisted Drugs)

(continued from page 2 of cover)

more references to the same first author with the same publication year should have a, b, c etc. suffixed to the year to indicate the alphabetical order of the second or third author, as the case may be. Citations of the literature in the list of references should include the full title of the article referred to. Personal communications and unpublished data should not appear in the list of references.

Examples:

for periodicals:

Chang, R.S.L., V.T. Tran and S.H. Snyder, 1979, Heterogeneity of histamine H_1-receptors: species variations in ^{3}H-mepyramine binding of brain membranes, J. Neurochem. 32, 1653.

for books:

Noble, D., 1975, The Initiation of the Heart Beat (Clarendon Press, Oxford) p. 74.

Green, J.P., C.L. Johnson and H. Weinstein, 1978, Histamine as a neurotransmitter, in: Psychopharmacology—A Generation of Progress, eds. M.A. Lipton, A. DiMascio and K.F. Killam (Raven Press, New York) p. 319.

5. *Illustrations, graphs and tables (for new and explicit instructions see Notice to Authors, in Vol. 97, Nos. 1/2, p. 5).*

(a) Either the original drawings plus two good photographs or three good photographs of the drawings (on glossy paper and unmounted) should be submitted. MACHINE COPIES CANNOT BE USED INSTEAD OF ORIGINALS. The photographs should be of adequate definition and contrast. *The number of illustrations should be limited to the essential.*

(b) It is important to allow for reduction to fit a single column, 7.5 cm wide, or at most a double column, maximally 16 cm wide (see example of original and reduced figure in Notice to Authors, Vol. 78, No. 1, p. 5). When possible, all lettering and key symbols should appear in the legend. Only the following standard characters, for which the printer has type, should be used: ○ ⊕ □ △ ◇ ☆ open and solid. For letters and numerals the use of Letraset is recommended; alternatively India ink should be used. All letters and numerals appearing in a particular illustration should be of the same size. Comparable illustrations should carry letters, figures and numerals of the same size when reduced to 7.5 cm width. If the abscissa and the ordinate of a graph require labelling the label to the abscissa should be placed below the related numerals and the label to the ordinate should be placed horizontally and above the ordinate. If this requirement is not complied with, ALL LABELS WILL APPEAR IN THE LEGEND ONLY.

(c) Graphs, electrocardiograms and oscillograms should be prepared by a skilled photographer so that the dark, cross-hatched background is eliminated, the faint portions of the graphs intensified, and a sharp, constrasty print obtained. This process may be avoided by using blue-ruled instead of black-ruled recording paper for the original records. Kymograph records on sooted paper should be reversed photographically to ensure records in *black on a white* background.

(d) Drawings of complicated chemical structures should be prepared in the same way as graphs.

(e) A calibration bar should be drawn on the micrographs instead of giving a magnification rate in the figure legend.

(f) All illustrations should be referred to as figures and numbered in arabic numerals.

(g) The approximate position of each figure should be indicated in the margin of the manuscript.

(h) Legends to figures should make these comprehensible without reference to the text.

(i) Tables should be numbered separately in Arabic numerals (table 1, 2 etc.).

(j) The approximate position of each table should be indicated in the margin of the manuscript.

(k) Colour reproduction of illustrations is available at cost. Detailed information regarding the use of colour may be obtained from the publisher, at the time of submission of the manuscript to the editors.

PROOFS

One set of galley proofs will be sent to the author named on the title page (see 2). The proofs should be carefully checked for printer's errors only. Proofs should be returned WITHIN 48 H. If this period is exceeded no reminders will be sent, the manuscript will be read at the Publisher's *and* the Editorial Office and printed WITHOUT THE AUTHOR'S CORRECTIONS. Authors of Short and Rapid communications will NOT receive galley proofs.

PAGE CHARGES AND REPRINTS

There will be no page charge. Authors of a full length paper receive, together with the galley proofs, a reprint order form which must be completed and returned to the publisher with the proofs. Authors of SHORT and RAPID communications receive no proofs, but only a reprint order form: this order form should be mailed to the publisher by return post. Reprints ordered AFTER THE JOURNAL IS PRINTED will cost considerably more than those ordered immediately.

SUBSCRIPTIONS

1985, Volumes 106–117 (12 volumes in 36 issues).
Dfl. 2424 (US $ 900)+Dfl. 264 (US $ 100) postage, packaging and handling. Total price Dfl. 2688 (US $ 1000).
The Dutch guilder price is definitive. The US dollar price is subject to exchange rate fluctuations and is only given as a guide.
Journals are automatically sent by air to the USA, Canada and India at no extra charge, and by surface delivery to all other countries. Airmail rates for other countries are available on request.
Subscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers, Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel. (020) 5803 911. Telex 18582, or to your usual subscription agent.
Claims for missing issues should be made within three months of publication, otherwise they cannot be honoured free of charge.
In the United States and Canada: For further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishers, Journal Information Center, 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 867 9040.

© 1985 Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith. Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying. Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Printed in The Netherlands *Library of Congress Catalog Card Number 68-26539* Published semi-monthly

EUROPEAN JOURNAL OF PHARMACOLOGY

Volume 113, No. 3 CONTENTS 31 July 1985

Regular papers

295 RAMAGE, A.G. The effects of ketanserin, methysergide and LY 53857 on sympathetic nerve activity

305 SIEGL, P.K.S., WENGER, H.C. Cardiovascular responses to an isosterically modified prostaglandin analog in the anesthetized dog

313 ARAKI, H., KAWASHIMA, K., UCHIYAMA, Y., AIHARA, H. Involvement of amygdaloid catecholaminergic mechanism in suppressive effects of desipramine and imipramine on duration of immobility in rats forced to swim

319 KIZAWA, Y., TAKAYANAGI, I., Possible involvement of substance P immunoreactive nerves in the mediation of nicotine-induced contractile responses in isolated guinea pig bronchus

325 PHILLIPS, C.A., MYLECHARANE, E.J., SHAW, J. Mechanisms involved in the vasodilator action of 5-hydroxytryptamine in the dog femoral arterial circulation in vivo

335 POST, C., FOLKERS, K. Behavioural and antinociceptive effects of intrathecally injected substance P analogues in mice

345 SCHEININ, H., SCHEININ, M. Repetitive measurement of monoamine metabolite levels in cerebrospinal fluid of conscious rats: effects of reserpine and haloperidol

353 VAN REE, J.M., LEYS, A. Behavioral effects of morphine and phencyclidine in rats: the influence of repeated testing before and after single treatment

363 GAMSE, R., SARIA, A. The spinal cord contains multiple factors causing plasma protein extravasation in the skin

373 NØRGAARD, A., KJELDSEN, K., HANSEN, O. K^+-dependent 3-O-methylfluorescein phosphatase activity in crude homogenate of rodent heart ventricle: effect of K^+ depletion and changes in thyroid status

383 RESINK, T.J., ERNE, P., BÜHLER, F.R. The influence of CGP 28392, a 1,4-dihydropyridine, on human platelet calcium and cyclic AMP metabolism

395 VETTERLEIN, F., SENSKE, D., BORNKESSEL, C., SCHMIDT, G. Effects of tolbutamide on blood flow in islets and exocrine tissue of the rat pancreas

399 MANZINI, S., MAGGI, C.A., MELI, A. Further evidence for involvement of adenosine-5′-triphosphate in non-adrenergic non-cholinergic relaxation of the isolated rat duodenum

409 TAKEDA, R., HAJI, A. Dual effects of acetaldehyde on electrical activity in the isolated frog spinal cord

417 SHINOZUKA, K., MAEDA, T., HAYASHI, E. Effects of adenosine on ^{45}Ca uptake and [^{3}H] acetylcholine release in synaptosomal preparation from guinea-pig ileum myenteric plexus

425 KODA, L.Y., LING, N., BENOIT, R., MADAMBA, S.G., BAKHIT, C. Blood pressure following microinjection of somatostatin related peptides into the rat nucleus tractus solitarii

431 KASAKOV, L.N., VLASKOVSKA, M.V. Profile of prostaglandins generated in the detrusor muscle of rat urinary bladder: effects of adenosine triphosphate and adenosine

Short communications

437 SIDHU, A., KEBABIAN, J.W. An iodinated ligand identifying the D-1 dopamine receptor

441 RODRIGUES DE MIRANDA, J.F., SCHERES, H.M.E., SALDEN, H.J.M., BELD, A.J., KLAASSEN, A.B.M., KUIJPERS, W. Muscarinic receptors in rat nasal mucosa are predominantly of the low affinity type

447 GOPALAKRISHNAN, V., PARK, L.E., TRIGGLE, C.R. The effect of calcium channel agonist, Bay K-8644 on human vascular smooth muscle

453 DRUGAN, R.C., MAIER, S.F., SKOLNICK, P., PAUL, S.M. CRAWLEY, J.N. An anxiogenic benzodiazepine receptor ligand induces learned helplessness

Rapid communications

459 FASSINA, G., FROLDI, G., CAPARROTTA, L. A stable isosterically modified prostacyclin analogue, FCE-22176, acting as a competitive antagonist to prostacyclin in guinea-pig trachea and atria

461 LUNDBLAD, L., LUNDBERG, J.M., ÄNGGÅRD, A., ZETTERSTRÖM, O. Capsaicin pretreatment inhibits the flare component of the cutaneous allergic reaction in man

463 VERGE, D., DAVAL, G., PATEY, A., GOZLAN, H., EL MESTIKAWY, S., HAMON, M. Presynaptic 5-HT autoreceptors on serotonergic cell bodies and/or dendrites but not terminals are of the 5-HT_{1A} subtype

465 GUNDLACH, A.L., LARGENT, B.L., SNYDER, S.H. Phencyclidine and σ opiate receptors in brain: biochemical and autoradiographical differentiation

467 RAISMAN, R., CASH, R., RUBERG, M., JAVOY-AGID, F., AGID, Y. Binding of [^{3}H]SCH 23390 to D-1 receptors in the putamen of control and Parkinsonian subjects

469 *Announcements*

471 *Author index*

477 *Keyword index*

(Cited in: Biological Abstracts - Chemical Abstracts - Current Contents/Life Sciences - IABS - Index Medicus - Unlisted Drugs)

(continued from page 2 of cover)

more references to the same first author with the same publication year should have a, b, c etc. suffixed to the year to indicate the alphabetical order of the second or third author, as the case may be. Citations of the literature in the list of references should include the full title of the article referred to. Personal communications and unpublished data should not appear in the list of references.

Examples:

for periodicals:

Chang, R.S.L., V.T. Tran and S.H. Snyder, 1979, Heterogeneity of histamine H_1-receptors: species variations in ^{3}H-mepyramine binding of brain membranes, J. Neurochem. 32, 1653.

for books:

Noble, D., 1975, The Initiation of the Heart Beat (Clarendon Press, Oxford) p. 74.

Green, J.P., C.L. Johnson and H. Weinstein, 1978, Histamine as a neurotransmitter, in: Psychopharmacology—A Generation of Progress, eds. M.A. Lipton, A. DiMascio and K.F. Killam (Raven Press, New York) p. 319.

5. *Illustrations, graphs and tables (for new and explicit instructions see Notice to Authors, in Vol. 97, Nos. 1/2, p. 5).*

(a) Either the original drawings plus two good photographs or three good photographs of the drawings (on glossy paper and unmounted) should be submitted. MACHINE COPIES CANNOT BE USED INSTEAD OF ORIGINALS. The photographs should be of adequate definition and contrast. *The number of illustrations should be limited to the essential.*

(b) It is important to allow for reduction to fit a single column, 7.5 cm wide, or at most a double column, maximally 16 cm wide (see example of original and reduced figure in Notice to Authors, Vol. 78, No. 1, p. 5). When possible, all lettering and key symbols should appear in the legend. Only the following standard characters, for which the printer has type, should be used: ○ ⊕ □ △ ◇ ★ open and solid. For letters and numerals the use of Letraset is recommended; alternatively India ink should be used. All letters and numerals appearing in a particular illustration should be of the same size. Comparable illustrations should carry letters, figures and numerals of the same size when reduced to 7.5 cm width. If the abscissa and the ordinate of a graph require labelling the label to the abscissa should be placed below the related numerals and the label to the ordinate should be placed horizontally and above the ordinate. If this requirement is not complied with, ALL LABELS WILL APPEAR IN THE LEGEND ONLY.

(c) Graphs, electrocardiograms and oscillograms should be prepared by a skilled photographer so that the dark, cross-hatched background is eliminated, the faint portions of the graphs intensified, and a sharp, constrasty print obtained. This process may be avoided by using blue-ruled instead of black-ruled recording paper for the original records. Kymograph records on sooted paper should be reversed photographically to ensure records in *black on a white* background.

(d) Drawings of complicated chemical structures should be prepared in the same way as graphs.

(e) A calibration bar should be drawn on the micrographs instead of giving a magnification rate in the figure legend.

(f) All illustrations should be referred to as figures and numbered in arabic numerals.

(g) The approximate position of each figure should be indicated in the margin of the manuscript.

(h) Legends to figures should make these comprehensible without reference to the text.

(i) Tables should be numbered separately in Arabic numerals (table 1, 2 etc.).

(j) The approximate position of each table should be indicated in the margin of the manuscript.

(k) Colour reproduction of illustrations is available at cost. Detailed information regarding the use of colour may be obtained from the publisher, at the time of submission of the manuscript to the editors.

PROOFS

One set of galley proofs will be sent to the author named on the title page (see 2). The proofs should be carefully checked for printer's errors only. Proofs should be returned WITHIN 48 H. If this period is exceeded no reminders will be sent, the manuscript will be read at the Publisher's *and* the Editorial Office and printed WITHOUT THE AUTHOR'S CORRECTIONS. Authors of Short and Rapid communications will NOT receive galley proofs.

PAGE CHARGES AND REPRINTS

There will be no page charge. Authors of a full length paper receive, together with the galley proofs, a reprint order form which must be completed and returned to the publisher with the proofs. Authors of SHORT and RAPID communications receive no proofs, but only a reprint order form: this order form should be mailed to the publisher by return post. Reprints ordered AFTER THE JOURNAL IS PRINTED will cost considerably more than those ordered immediately.

SUBSCRIPTIONS

1985, Volumes 106–117 (12 volumes in 36 issues).
Dfl. 2424 (US $ 900) + Dfl. 264 (US $ 100) postage, packaging and handling. Total price Dfl. 2688 (US $ 1000).
The Dutch guilder price is definitive. The US dollar price is subject to exchange rate fluctuations and is only given as a guide.
Journals are automatically sent by air to the USA, Canada and India at no extra charge, and by surface delivery to all other countries. Airmail rates for other countries are available on request.
Subscription orders can only be entered by calendar year (Jan.–Dec.) and should be sent to: Elsevier Science Publishers, Journals Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands. Tel. (020) 5803 911. Telex 18582, or to your usual subscription agent.
Claims for missing issues should be made within three months of publication, otherwise they cannot be honoured free of charge.
In the United States and Canada: For further information concerning this or any other Elsevier Science Publishers journal, contact Elsevier Science Publishers, Journal Information Center, 52 Vanderbilt Avenue, New York, NY 10017. Tel. (212) 867 9040.

© 1985 Elsevier Science Publishers B.V. (Biomedical Division)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher, Elsevier Science Publishers B.V. (Biomedical Division), P.O. Box 1527, 1000 BM Amsterdam, The Netherlands.

Submission to this journal of a paper entails the author's irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith. Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US $2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying. Special regulations for authors. Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.

Printed in The Netherlands *Library of Congress Catalog Card Number 68-26539* Published semi-monthly